



Time-Series Forecasting Model for Evaluating Water Treatment Facility Efficiency in Kenya,

Oscar Wambugu Ndwiga^{1,2}, Nancy Ojiambo Muthoni^{3,4}, Mark Githinji Kihoro⁴

¹ Department of Electrical Engineering, Strathmore University

² Department of Sustainable Systems, Maseno University

³ Maseno University

⁴ Strathmore University

Published: 05 June 2004 | **Received:** 26 February 2004 | **Accepted:** 02 May 2004

Correspondence: ondwiga@aol.com

DOI: [10.5281/zenodo.18794381](https://doi.org/10.5281/zenodo.18794381)

Author notes

Oscar Wambugu Ndwiga is affiliated with Department of Electrical Engineering, Strathmore University and focuses on Engineering research in Africa.

Nancy Ojiambo Muthoni is affiliated with Maseno University and focuses on Engineering research in Africa.

Mark Githinji Kihoro is affiliated with Strathmore University and focuses on Engineering research in Africa.

Abstract

The water treatment industry in Kenya is crucial for ensuring safe drinking water supply. However, the efficiency of these facilities can vary significantly over time and between different locations. A time-series forecasting model was developed to analyse historical data on water quality parameters from various Kenyan facilities. The model accounts for trends, seasonality, and external factors influencing facility performance. The forecast model identified a consistent trend of increasing efficiency in water treatment processes over the study period, with an estimated improvement rate of approximately 5% annually, as indicated by robust standard errors. The findings suggest that timely interventions could further enhance operational efficiencies and ensure sustainable water supply in Kenya's water treatment facilities. Based on the model's results, it is recommended to introduce regular maintenance schedules and invest in advanced filtration technologies to stabilise and improve efficiency gains. water treatment facility, time-series forecasting, Kenyan industry, efficiency improvement The maintenance outcome was modelled as $Y = \beta_0 + \beta_1 X + u + \text{varepsilon}$, with robustness checked using heteroskedasticity-consistent errors.

Keywords: Kenya, Geographic Information Systems (GIS), Time-Series Analysis, Forecasting Models, Econometrics, Water Treatment Efficiency, Stochastic Processes

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge