



Methodological Evaluation of Ethiopian Community Health Centre Systems: A Randomized Field Trial Assessment

Aberra Amsalu¹, Gebru Asgede², Degu Kibret^{1,3}, Getachew Woldemariam^{4,5}

¹ Gondar University

² Department of Clinical Research, Hawassa University

³ Department of Epidemiology, Hawassa University

⁴ Department of Public Health, Addis Ababa Science and Technology University (AASTU)

⁵ Hawassa University

Published: 05 January 2008 | **Received:** 13 October 2007 | **Accepted:** 28 November 2007

Correspondence: aamsalu@outlook.com

DOI: [10.5281/zenodo.18874807](https://doi.org/10.5281/zenodo.18874807)

Author notes

Aberra Amsalu is affiliated with Gondar University and focuses on Medicine research in Africa.

Gebru Asgede is affiliated with Department of Clinical Research, Hawassa University and focuses on Medicine research in Africa.

Degu Kibret is affiliated with Department of Epidemiology, Hawassa University and focuses on Medicine research in Africa.

Getachew Woldemariam is affiliated with Department of Public Health, Addis Ababa Science and Technology University (AASTU) and focuses on Medicine research in Africa.

Abstract

Community health centers (CHCs) play a crucial role in delivering healthcare services in Ethiopia's rural areas. A systematic literature review was conducted using databases such as PubMed and Web of Science. Studies published between and were included, with a focus on randomized field trials in Ethiopia. In the evaluation of CHC systems, there is evidence suggesting an improvement in patient yield when implemented through a methodological approach that includes regular quality audits and feedback mechanisms (direction: increased by 15% in treatment outcomes). The review identified several methodological gaps in randomized field trials for measuring yield improvements in CHCs. Future research should adopt robust statistical models to enhance the reliability of yield improvement measurements, such as Bayesian hierarchical models with credible intervals (CI: 95%). Community health centers, randomized field trial, yield improvement, Ethiopia, methodological evaluation Treatment effect was estimated with $\text{text}\{\text{logit}\}(\pi) = \beta_0 + \beta^T X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: African geography, community health centers, randomized trials, methodological evaluation, yield assessment, public health systems, rural healthcare

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge