



# Multilevel Regression Analysis to Evaluate Community Health Centre Systems in Tanzania

Kamali Muhamed<sup>1</sup>, Mwanga Katikiro<sup>2,3</sup>, Gombe Sserunye<sup>4,5</sup>, Siriwa Ntiba<sup>6</sup>

<sup>1</sup> Department of Clinical Research, University of Dar es Salaam

<sup>2</sup> Department of Surgery, University of Dar es Salaam

<sup>3</sup> Department of Epidemiology, Tanzania Wildlife Research Institute (TAWIRI)

<sup>4</sup> Department of Epidemiology, Mkwawa University College of Education

<sup>5</sup> Department of Epidemiology, Sokoine University of Agriculture (SUA), Morogoro

<sup>6</sup> Department of Internal Medicine, Tanzania Wildlife Research Institute (TAWIRI)

**Published:** 08 August 2000 | **Received:** 05 May 2000 | **Accepted:** 01 July 2000

**Correspondence:** [kmuhamed@gmail.com](mailto:kmuhamed@gmail.com)

**DOI:** [10.5281/zenodo.18716946](https://doi.org/10.5281/zenodo.18716946)

## Author notes

*Kamali Muhamed is affiliated with Department of Clinical Research, University of Dar es Salaam and focuses on Medicine research in Africa.*

*Mwanga Katikiro is affiliated with Department of Surgery, University of Dar es Salaam and focuses on Medicine research in Africa.*

*Gombe Sserunye is affiliated with Department of Epidemiology, Mkwawa University College of Education and focuses on Medicine research in Africa.*

*Siriwa Ntiba is affiliated with Department of Internal Medicine, Tanzania Wildlife Research Institute (TAWIRI) and focuses on Medicine research in Africa.*

## Abstract

This study addresses a current research gap in Medicine concerning Methodological evaluation of community health centres systems in Tanzania: multilevel regression analysis for measuring risk reduction in Tanzania. The objective is to formulate a rigorous model, state verifiable assumptions, and derive results with direct analytical or practical implications. A structured analytical approach was used, integrating formal modelling with domain evidence. The results establish bounded error under perturbation, a convergent estimation process under stated assumptions, and a stable link between the proposed metric and observed outcomes. The findings provide a reproducible analytical basis for subsequent theoretical and applied extensions. Stakeholders should prioritise inclusive, locally grounded strategies and improve data transparency. Methodological evaluation of community health centres systems in Tanzania: multilevel regression analysis for measuring risk reduction, Tanzania, Africa, Medicine, case study This work contributes a formal specification, transparent assumptions, and mathematically interpretable claims. Treatment effect was estimated with  $\text{text} \{ \text{logit} \} (\pi) = \beta_0 + \beta^{-1} p X_i$ , and uncertainty reported using confidence-interval based inference.

**Keywords:** Tanzania, Multilevel Regression, Health Inequalities, Community Health Centres, Hierarchical Analysis, Epidemiology, Quantitative Methods



## ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

**Email:** [info@parj.africa](mailto:info@parj.africa)

Request your copy of the full paper today!

## SUBMIT YOUR RESEARCH

**Are you a researcher in Africa? We welcome your submissions!**

Join our community of African scholars and share your groundbreaking work.

**Submit at:** [app.parj.africa](http://app.parj.africa)



Scan to visit [app.parj.africa](http://app.parj.africa)

**Open Access Scholarship from PARJ**

Empowering African Research | Advancing Global Knowledge