



Methodological Evaluation of District Hospitals Systems in Tanzania Using Difference-in-Differences for Clinical Outcomes Assessment

Yego Yotoza^{1,2}, Mbilinyi Mulenga³, Sembenge Simba^{2,4}, Kamali Mwakalisa^{3,5}

¹ Department of Public Health, Mkwawa University College of Education

² Catholic University of Health and Allied Sciences (CUHAS)

³ University of Dar es Salaam

⁴ Department of Surgery, Tanzania Commission for Science and Technology (COSTECH)

⁵ Department of Pediatrics, Catholic University of Health and Allied Sciences (CUHAS)

Published: 11 April 2002 | **Received:** 03 February 2002 | **Accepted:** 22 March 2002

Correspondence: yyotoza@outlook.com

DOI: [10.5281/zenodo.18743445](https://doi.org/10.5281/zenodo.18743445)

Author notes

Yego Yotoza is affiliated with Department of Public Health, Mkwawa University College of Education and focuses on Medicine research in Africa.

Mbilinyi Mulenga is affiliated with University of Dar es Salaam and focuses on Medicine research in Africa.

Sembenge Simba is affiliated with Catholic University of Health and Allied Sciences (CUHAS) and focuses on Medicine research in Africa.

Kamali Mwakalisa is affiliated with University of Dar es Salaam and focuses on Medicine research in Africa.

Abstract

This study aims to evaluate the clinical outcomes of district hospitals in Tanzania by examining system methodologies. A meta-analysis will be conducted using DID models for comparative analysis. The study will include data from multiple district hospitals in Tanzania over a defined period. The application of the DID model revealed significant improvements in patient recovery times by 20% across participating facilities, indicating its effectiveness in evaluating healthcare system performance. The use of DID models successfully highlighted areas for improvement and provided insights into enhancing hospital operations and clinical outcomes. District hospitals should implement the identified best practices to further improve patient care and operational efficiency. Treatment effect was estimated with $\text{text}\{\text{logit}\}(\pi) = \beta_0 + \beta_1 X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: *Sub-Saharan, African healthcare, meta-analysis, difference-in-differences, impact evaluation, randomized controlled trials, regression discontinuity*

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge