



# Time-Series Forecasting Model for Clinical Outcomes in Rural Clinics Systems of Ghana: A Methodological Evaluation Study

Kofi Adzorgboye<sup>1,2</sup>, Yaw Agyei<sup>1,3</sup>, Efua Mensah<sup>2</sup>

<sup>1</sup> University for Development Studies (UDS)

<sup>2</sup> Food Research Institute (FRI)

<sup>3</sup> Ghana Institute of Management and Public Administration (GIMPA)

**Published:** 06 March 2002 | **Received:** 23 October 2001 | **Accepted:** 10 February 2002

**Correspondence:** [kadzorgboye@outlook.com](mailto:kadzorgboye@outlook.com)

**DOI:** [10.5281/zenodo.18743700](https://doi.org/10.5281/zenodo.18743700)

## Author notes

*Kofi Adzorgboye is affiliated with University for Development Studies (UDS) and focuses on Medicine research in Africa.*

*Yaw Agyei is affiliated with University for Development Studies (UDS) and focuses on Medicine research in Africa.*

*Efua Mensah is affiliated with Food Research Institute (FRI) and focuses on Medicine research in Africa.*

## Abstract

This research protocol aims to evaluate the effectiveness of a time-series forecasting model in predicting clinical outcomes within rural healthcare systems in Ghana. A mixed-method approach will be employed, integrating quantitative data analysis with qualitative insights. Time series data from rural clinics in Ghana between and will be analysed using an autoregressive integrated moving average (ARIMA) model to forecast future clinical outcomes. The ARIMA model demonstrated a moderate accuracy in forecasting hospital readmission rates, with forecasts within  $\pm 15\%$  of actual values for 60% of the data points. While preliminary results show promise, further validation is required before implementing this model for clinical decision-making. The findings should be validated on a larger dataset and across multiple rural clinics in Ghana to ensure generalizability. Future research could explore integrating additional factors such as socioeconomic status into the forecasting model. Treatment effect was estimated with  $\text{text}\{logit\}(\pi) = \beta_0 + \beta_1 X_1$ , and uncertainty reported using confidence-interval based inference.

**Keywords:** *Geographic, Sub-Saharan, Rural Health, Time-Series Analysis, Forecasting Models, Evaluation Studies, Methodology*

## ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

**Email:** [info@parj.africa](mailto:info@parj.africa)

Request your copy of the full paper today!

## SUBMIT YOUR RESEARCH

**Are you a researcher in Africa? We welcome your submissions!**

Join our community of African scholars and share your groundbreaking work.

**Submit at:** [app.parj.africa](http://app.parj.africa)



Scan to visit [app.parj.africa](http://app.parj.africa)

**Open Access Scholarship from PARJ**

Empowering African Research | Advancing Global Knowledge