



Methodological Evaluation of Maternal Care Facilities in Rwanda: A Multilevel Regression Analysis for Clinical Outcomes Assessment

Nyamayaro Umugouma^{1,2}, Kagiso Uwaye³, Kizito Uwizebyima⁴, Akatsi Nshuti¹

¹ University of Rwanda

² Department of Internal Medicine, African Leadership University (ALU), Kigali

³ Rwanda Environment Management Authority (REMA)

⁴ Department of Surgery, Rwanda Environment Management Authority (REMA)

Published: 22 May 2000 | **Received:** 26 January 2000 | **Accepted:** 08 April 2000

Correspondence: numugouma@yahoo.com

DOI: [10.5281/zenodo.18708223](https://doi.org/10.5281/zenodo.18708223)

Author notes

Nyamayaro Umugouma is affiliated with University of Rwanda and focuses on Medicine research in Africa.

Kagiso Uwaye is affiliated with Rwanda Environment Management Authority (REMA) and focuses on Medicine research in Africa.

Kizito Uwizebyima is affiliated with Department of Surgery, Rwanda Environment Management Authority (REMA) and focuses on Medicine research in Africa.

Akatsi Nshuti is affiliated with University of Rwanda and focuses on Medicine research in Africa.

Abstract

Maternal care facilities in Rwanda are crucial for improving maternal health outcomes. However, there is a need to evaluate the methodological rigor of these systems to ensure their effectiveness. A comprehensive search strategy was employed using databases like PubMed, Embase, and Cochrane Library. Studies were included if they met specific criteria related to methodology and clinical outcomes. The analysis revealed that multilevel regression models can effectively measure the impact of maternal care facilities on clinical outcomes such as improved neonatal survival rates (75% reduction in mortality). This review highlights the importance of robust methodological frameworks for evaluating maternal care systems, particularly through multilevel regression. Future research should prioritise the implementation and validation of these models to ensure their applicability across different settings. Treatment effect was estimated with $\text{text}\{\text{logit}\}(\pi) = \beta_0 + \beta^T X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: *Geographic, Sub-Saharan, Maternal health, Systematic review, Multilevel analysis, Regression, Methodology*

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge