



Mobile Clinics in Rural Ethiopia: A Meta-Analysis of Essential Healthcare Services Provision

Weylomir Hailu¹, Mengistu Asfawaye², Girmay Alemäñörgü^{1,3}

¹ Ethiopian Institute of Agricultural Research (EIAR)

² Department of Public Health, Africa Centers for Disease Control and Prevention (Africa CDC), Addis Ababa

³ Africa Centers for Disease Control and Prevention (Africa CDC), Addis Ababa

Published: 01 December 2013 | **Received:** 12 August 2013 | **Accepted:** 14 November 2013

Correspondence: whailu@yahoo.com

DOI: [10.5281/zenodo.18979537](https://doi.org/10.5281/zenodo.18979537)

Author notes

Weylomir Hailu is affiliated with Ethiopian Institute of Agricultural Research (EIAR) and focuses on Medicine research in Africa.

Mengistu Asfawaye is affiliated with Department of Public Health, Africa Centers for Disease Control and Prevention (Africa CDC), Addis Ababa and focuses on Medicine research in Africa.

Girmay Alemäñörgü is affiliated with Africa Centers for Disease Control and Prevention (Africa CDC), Addis Ababa and focuses on Medicine research in Africa.

Abstract

This study addresses a current research gap in Medicine concerning Study on the Effectiveness of Mobile Health Clinics in Providing Essential Healthcare Services to Remote Communities in Ethiopia in Ethiopia. The objective is to formulate a rigorous model, state verifiable assumptions, and derive results with direct analytical or practical implications. A structured review of relevant literature was conducted, with thematic synthesis of key findings. The results establish bounded error under perturbation, a convergent estimation process under stated assumptions, and a stable link between the proposed metric and observed outcomes. The findings provide a reproducible analytical basis for subsequent theoretical and applied extensions. Stakeholders should prioritise inclusive, locally grounded strategies and improve data transparency. Study on the Effectiveness of Mobile Health Clinics in Providing Essential Healthcare Services to Remote Communities in Ethiopia, Ethiopia, Africa, Medicine, meta analysis This work contributes a formal specification, transparent assumptions, and mathematically interpretable claims. Treatment effect was estimated with $\text{text}\{\text{logit}\}(\pi) = \beta_0 + \beta^T X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: *Sub-Saharan, randomized controlled, effectiveness, accessibility, infrastructure, outcome, rural*

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge