



# Methodological Evaluation of Urban Primary Care Networks in Uganda Using Time-Series Forecasting Models for Clinical Outcomes Assessment

David Baryamureeba<sup>1</sup>, Kizza Besigye<sup>2,3</sup>, James Ssemogerere<sup>4</sup>, Elvis Kato Omukonde<sup>5</sup>

<sup>1</sup> Makerere University, Kampala

<sup>2</sup> Department of Clinical Research, Makerere University Business School (MUBS)

<sup>3</sup> Uganda National Council for Science and Technology (UNCST)

<sup>4</sup> Makerere University Business School (MUBS)

<sup>5</sup> Department of Internal Medicine, Busitema University

**Published:** 27 August 2008 | **Received:** 05 April 2008 | **Accepted:** 18 July 2008

**Correspondence:** [dbaryamureeba@hotmail.com](mailto:dbaryamureeba@hotmail.com)

**DOI:** [10.5281/zenodo.18866058](https://doi.org/10.5281/zenodo.18866058)

## Author notes

*David Baryamureeba is affiliated with Makerere University, Kampala and focuses on Medicine research in Africa.*

*Kizza Besigye is affiliated with Department of Clinical Research, Makerere University Business School (MUBS) and focuses on Medicine research in Africa.*

*James Ssemogerere is affiliated with Makerere University Business School (MUBS) and focuses on Medicine research in Africa.*

*Elvis Kato Omukonde is affiliated with Department of Internal Medicine, Busitema University and focuses on Medicine research in Africa.*

## Abstract

This study addresses a current research gap in Medicine concerning Methodological evaluation of urban primary care networks systems in Uganda: time-series forecasting model for measuring clinical outcomes in Uganda. The objective is to formulate a rigorous model, state verifiable assumptions, and derive results with direct analytical or practical implications. A structured analytical approach was used, integrating formal modelling with domain evidence. The results establish bounded error under perturbation, a convergent estimation process under stated assumptions, and a stable link between the proposed metric and observed outcomes. The findings provide a reproducible analytical basis for subsequent theoretical and applied extensions. Stakeholders should prioritise inclusive, locally grounded strategies and improve data transparency. Methodological evaluation of urban primary care networks systems in Uganda: time-series forecasting model for measuring clinical outcomes, Uganda, Africa, Medicine, case study This work contributes a formal specification, transparent assumptions, and mathematically interpretable claims. Treatment effect was estimated with  $\text{logit}(\pi) = \beta_0 + \beta_1 X_i$ , and uncertainty reported using confidence-interval based inference.

**Keywords:** *African geography, primary care networks, forecasting models, time-series analysis, clinical outcomes, public health metrics, data analytics*



## ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

**Email:** [info@parj.africa](mailto:info@parj.africa)

Request your copy of the full paper today!

## SUBMIT YOUR RESEARCH

**Are you a researcher in Africa? We welcome your submissions!**

Join our community of African scholars and share your groundbreaking work.

**Submit at:** [app.parj.africa](http://app.parj.africa)



Scan to visit [app.parj.africa](http://app.parj.africa)

**Open Access Scholarship from PARJ**

Empowering African Research | Advancing Global Knowledge