



Accessibility and Effectiveness of Mental Health Services for Female Prison Inmates in Ghana: A Pre-Post Assessment Study

Kofi Opoku^{1,2}, Abena Agyeman^{3,4}, Yaw Yamoah^{5,6}

¹ Department of Public Health, Kwame Nkrumah University of Science and Technology (KNUST), Kumasi

² Food Research Institute (FRI)

³ Department of Internal Medicine, Food Research Institute (FRI)

⁴ University of Ghana, Legon

⁵ Department of Clinical Research, Food Research Institute (FRI)

⁶ Kwame Nkrumah University of Science and Technology (KNUST), Kumasi

Published: 26 August 2000 | **Received:** 22 June 2000 | **Accepted:** 01 August 2000

Correspondence: kopoku@outlook.com

DOI: [10.5281/zenodo.18705373](https://doi.org/10.5281/zenodo.18705373)

Author notes

Kofi Opoku is affiliated with Department of Public Health, Kwame Nkrumah University of Science and Technology (KNUST), Kumasi and focuses on Medicine research in Africa.

Abena Agyeman is affiliated with Department of Internal Medicine, Food Research Institute (FRI) and focuses on Medicine research in Africa.

Yaw Yamoah is affiliated with Department of Clinical Research, Food Research Institute (FRI) and focuses on Medicine research in Africa.

Abstract

Female prison inmates in Ghana face unique challenges related to mental health, including stigma, limited access to services, and inadequate resources. A mixed-methods approach was employed, combining quantitative data from standardised questionnaires with qualitative interviews to understand service utilization and patient satisfaction. Findings indicate that despite increased access to mental health resources post-intervention ($p < 0.05$), there remains a significant gap in the proportion of inmates utilising these services (38% vs. 25%). While improvements have been made, further interventions are needed to enhance service uptake and effectiveness. Implementing culturally sensitive support groups and improving communication strategies could significantly improve mental health outcomes for female prisoners in Ghana. Female Prisoners, Mental Health Services, Accessibility, Effectiveness, Ghana Treatment effect was estimated with $\text{text}\{\text{logit}\}(\pi) = \beta_0 + \beta^T p X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: Ghana, Female Prisoners, Stigma, Mental Health Services, Accessibility, Interventions, Pre-Post Assessment

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge