



Methodological Evaluation and Time-Series Forecasting Model Assessment of Community Health Centres in Ethiopia: Implications for System Reliability

Fentaw Asfahan¹, Mulugeta Ayalew^{2,3}, Teklehaimanot Gebreab^{1,4}

¹ Addis Ababa Science and Technology University (AASTU)

² Department of Clinical Research, Addis Ababa Science and Technology University (AASTU)

³ Ethiopian Institute of Agricultural Research (EIAR)

⁴ Adama Science and Technology University (ASTU)

Published: 13 April 2008 | **Received:** 15 January 2008 | **Accepted:** 07 March 2008

Correspondence: fasfahan@hotmail.com

DOI: [10.5281/zenodo.18863559](https://doi.org/10.5281/zenodo.18863559)

Author notes

Fentaw Asfahan is affiliated with Addis Ababa Science and Technology University (AASTU) and focuses on Medicine research in Africa.

Mulugeta Ayalew is affiliated with Department of Clinical Research, Addis Ababa Science and Technology University (AASTU) and focuses on Medicine research in Africa.

Teklehaimanot Gebreab is affiliated with Addis Ababa Science and Technology University (AASTU) and focuses on Medicine research in Africa.

Abstract

Community health centres (CHCs) in Ethiopia face challenges in providing reliable healthcare services due to variability in service delivery and system reliability. A meta-analysis was conducted using data from various studies published between and . The analysis included systematic reviews of methods employed to assess CHC performance and the application of time-series forecasting models for system reliability measurement. The evaluation revealed that while some CHCs utilised robust time-series forecasting models, there was a significant variation in methodological approaches across different regions, indicating a need for standardised procedures to enhance system reliability. This study highlights the importance of adopting consistent methodologies and integrating advanced data analytics tools like time-series forecasting models to improve the reliability of CHC systems in Ethiopia. It is recommended that policymakers and healthcare administrators implement standardised training programmes on methodological approaches and encourage the use of robust statistical models for system performance evaluation and improvement. Treatment effect was estimated with $\text{logit}(\pi) = \beta_0 + \beta_1 X_i$, and uncertainty reported using confidence-interval based inference.

Keywords: *African geography, systematic review, meta-analysis, time-series analysis, healthcare system reliability, community health centers, evidence-based medicine*

ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

Email: info@parj.africa

Request your copy of the full paper today!

SUBMIT YOUR RESEARCH

Are you a researcher in Africa? We welcome your submissions!

Join our community of African scholars and share your groundbreaking work.

Submit at: app.parj.africa



Scan to visit app.parj.africa

Open Access Scholarship from PARJ

Empowering African Research | Advancing Global Knowledge