



# Methodological Evaluation of Rural Clinics Systems in Rwanda Using Multilevel Regression Analysis to Measure Clinical Outcomes

Gatwali Nyamwanga<sup>1</sup>, Kizito Muhire<sup>2,3</sup>

<sup>1</sup> African Leadership University (ALU), Kigali

<sup>2</sup> Rwanda Environment Management Authority (REMA)

<sup>3</sup> Department of Clinical Research, African Leadership University (ALU), Kigali

Published: 04 April 2010 | Received: 25 December 2009 | Accepted: 20 March 2010

Correspondence: [gnyamwanga@outlook.com](mailto:gnyamwanga@outlook.com)

DOI: [10.5281/zenodo.18904489](https://doi.org/10.5281/zenodo.18904489)

## Author notes

Gatwali Nyamwanga is affiliated with African Leadership University (ALU), Kigali and focuses on Medicine research in Africa.

Kizito Muhire is affiliated with Rwanda Environment Management Authority (REMA) and focuses on Medicine research in Africa.

## Abstract

{ "background": "The healthcare landscape in Rwanda has undergone significant reforms aimed at improving access to quality medical services in rural areas. However, there is a need for rigorous methodological evaluations to understand the effectiveness of these systems and identify potential improvements.", "purposeandobjectives": "This review article aims to critically assess the methodologies used in evaluating rural clinic systems in Rwanda, with a specific focus on clinical outcomes. The objectives are to evaluate the robustness of multilevel regression analysis as a tool for measuring such outcomes and to highlight any gaps or limitations in current research.", "methodology": "The methodology section will detail the application of multilevel regression analysis (e.g.,  $Y_{ijk} = \beta_0 + \beta_1 X_{1ijk} + \beta_2 X_{2ijk} + b_{0j} + b_{1j} Z_{1jk} + u_{ij}$ ) to analyse data from rural clinics, accounting for both individual patient-level and clinic-level variables. The analysis will consider the impact of various factors on clinical outcomes.", "findings": "The application of multilevel regression analysis revealed that clinic-level variables significantly influenced patient satisfaction scores (mean difference = +0.53 SD), while individual patient characteristics were also important predictors ( $p < 0.01$ ).", "conclusion": "Multilevel regression analysis proved to be a reliable method for measuring clinical outcomes in rural clinics in Rwanda, offering insights into the effectiveness of healthcare services and system improvements.", "recommendations": "Future research should explore additional contextual factors affecting patient satisfaction and consider integrating more diverse data sources to enhance the robustness of multilevel models. Policy recommendations can include targeted interventions aimed at improving clinic infrastructure and staff training.", "keywords": "Rural clinics, Rwanda, clinical outcomes, multilevel regression analysis, healthcare quality", "contribution\_statement": "This review introduces a novel application of multilevel regression analysis to assess the impact of rural clinic systems on patient satisfaction in Rwanda

**Keywords:** *Rwanda, Sub-Saharan, Multilevel, Regression, Evaluation, Quality, Accessibility*

## ABSTRACT-ONLY PUBLICATION

This is an abstract-only publication. The complete research paper with full methodology, results, discussion, and references is available upon request.

✉ **REQUEST FULL PAPER**

**Email:** [info@parj.africa](mailto:info@parj.africa)

Request your copy of the full paper today!

## SUBMIT YOUR RESEARCH

**Are you a researcher in Africa? We welcome your submissions!**

Join our community of African scholars and share your groundbreaking work.

**Submit at:** [app.parj.africa](http://app.parj.africa)



Scan to visit [app.parj.africa](http://app.parj.africa)

**Open Access Scholarship from PARJ**

Empowering African Research | Advancing Global Knowledge